

Medexpro 00000 000 000000 000000 00000 00000 .000 000000 0000 00000 0000 000000 00000 00000000  
000 00000 00000 0000000 00000 000 00000 .0000000 000000 00000 000 0000000 000000 000000000  
00 000000000 00000000 000000000 00000000 000000 0000 .00000 00 0°F 100 °C 37.8 000 00000000 00000  
00000000 00000 000000 .0000000 00000000 000000 000000000000 00000 0000 0 00000000  
.0000000000 000 000000 000 000000000 0000000000

- 00000000 0000000000
- 000000000 0000000 1
- 00000000 00000 1
- 000000000 00000 1
- 1 Giftbox
- 5 000000000 00000



00000000 0000000000

0000-00000-00000 :000000 000 JT002NM

1.5 :0000000000 000000 DC 1LR41 .00000000 00

000 0000 0.1 :0000000 00000000

(000000 00 000000 10 00000 00000000 000) 0000000 1100 000000 :0000000000 0000

0000000000 :0000000000 00000

0000000 0000000 :00000000 0000000

0000 0.1 000000000 0000 (0000000000 00000) 000000 00000 + 0 000000 3 :000000000 00000 0000

(0000000 00000 43 0000000 00000 32) 0000000 00000 0.1 ± :00000000 0000

0.18 ± ° F (89.60 ° F-109.40 ° F)

2 :000000 00000M

(0000000000 00000 109.40 000 00000000000 00000 89.6) 000000 00000 43 000 000000 00000 32 :00000000 00000

0000000000 00000 50) 000000 00000 40+ 000 000000 00000 10 + :00000000 000000000 00000 :00000000000 00000

(0000000000 00000 104 000)

(0000000000 00000 140 000 0000000000 00000 4-) 000000 00000 60+ 000 000000 00000 20- :00000000 00000

95-30 00000000 00000000 :0000000000 00000000 00000 0 RH

(0000000000 0000000) 00000 15 .0000000 0000000

20 :00000000MM (W) \* 130MM (L) \* 13mm (H)

000000000000 000000000 0000000000 00) 0000000000 00000000 :0000000000 LR4) 0 00000 0 000000000 00000

.00000000000

80 :0000000000pcs / CTN

ctn 331 :0000000mm \* 305mm \* 260mm

:00000000000 000000000

00000 00000 000 000000 / 0000000 00 000 00000 .1 0000000 LCD. 0000 00000000 0 00000000 00000 0000 00000 00000000 .0000000000 0000000 000000

.00000000000 0000 00 00000 0000000000 000000 0000000000-000000 0000000000 0000000 0000 0000 0000 0 °F 90 00 °C 32 00 0000 0000000000 0000000000 00000 00000 0000 :00000000 \* LCD 00000 0000 0 00 000000 00000 0000 0 °F 109.9 00 °C 42.9 00 00000 0000000000 0000000000 00000 LCD 00000 Hi.




(.0000000 00 0 0000000000 0 00000) 0000000000 00000000 00 0000000000 0000000 00000 00000 .2 00000000

00000 000000 0000 00000 . "v" 00000 00 00000 00 0000 00000000 0000 000000000000 00 :00000000 000000000000 (0 °C 35.7 0000 00000000000 0000000000 00000 .000000 00 00000000 00000000000 00000000 000000 00000 00000 00000 0000000000 (°F 99.1 0 °F 96.3) °C 37.3 0

..... . : ( °F 97.2) °C 37.7 ° °C 36.2 ( 1/2 ) 1 . (°F 99.9 )

..... : ( °F 98 ) °C 36.7 ° °C 35.2 .



#### Step4.

..... / ..... 10 ..... .

