

:

- 1. LCD
- 2. LCD
- 3. LCD



1. LCD
 2. LCD
 3. LCD

Automatic beeping after the measurement is completed, sufficient measurement time to make the measurement results more accurate.

Measure basal temperature, can get the "comfortable pregnancy" time



Basal temperature is referred to Body temperature has not been measured by the effects of exercise or diet.

It is usually the lowest temperature in the body around the day and night, while the basic body temperature of women is usually in the range of 0.3°C-0.5°C.

The cold day before the high temperature period is the ovulation day

step1.

..... LCD.

..... *
.....

step2. (.....)

..... (.....)
.....

.3

..... 10
..... (beep)
.....

Step4.

00 .00000000 00000000 0000 00000000 00000000/00000000 00 0000 0000 0 000000000 0000 00000000
 0000 00000000 00000000 00000000 000000 00000 0 0000000 00 0000000 0000 000000 around10 .0000000
 0000000000 0000000 00 0000000000 0000000 0000.

Product information



name	thermometer	range	32—43°C
model	JT002BTS	humidity	-20°C+60°C≤85%RH
detector	thermistor	weight	15g(included battery)
temperature	Four digit display	size	20mm*130mm*13mm
accuracy	±0.05°C (36-39°C) ±0.2°C (32-35.99°C, 39.01-43°C) ±0.1°F (96.8-102.20°F) ±0.4°F (89.6-96.78°F, 102.2-107.6°F)		

Measure in a room temperature test tank at room temperature of 25 °C (77°F)

2

High sensitive thermistor temperature measurement

The advanced temperature sensing technology, aimed at the oral temperature measurement, can be measured in a minute to measure the body temperature

