

000000 000000:
 0000 000000000000 Measurement
 000 000
 0000 0000 0000000 000
 000 000 0000000 0000000



0000 0000 00 0000000 (BBT) ovulation 00 000 00 ovulation 00 000 0000 00 000 00 000000 00 0000 0000 0
 1 00 2 ovulation 00 000 000 0000000 0000 0000000 0000 0000000 00 00 0000 0000 2 0000000 00 0000 0000
 0000 00 0 00 00 00000000 00 00000 0000000 0 00000 00000000 00 BBT 0000 00000 000000 00 00 0000000
 00 BBT 0000000000000 00000 00000 00 00000 00 0
 0000 BBT 0000000000 00000 00 0000 00000000 00000 00 00000 00000 00 00000000 0000000 00 000000000000 0000000 0

此产品为一次性使用，不可重复使用，不可用于测量液体温度，不可用于测量皮肤温度/ 不可用于测量环境温度。本产品为一次性使用，不可重复使用，不可用于测量液体温度，不可用于测量皮肤温度/ 不可用于测量环境温度。本产品为一次性使用，不可重复使用，不可用于测量液体温度，不可用于测量皮肤温度/ 不可用于测量环境温度。

Product information



name	thermometer	range	32—43°C
model	JT002BTS	humidity	-20°C+60°C≤85%RH
detector	thermistor	weight	15g(included battery)
temperature	Four digit display	size	20mm*130mm*13mm
accuracy	$\pm 0.05^{\circ}\text{C}$ (36-39°C) $\pm 0.2^{\circ}\text{C}$ (32-35.99°C, 39.01-43°C) $\pm 0.1^{\circ}\text{F}$ (96.8-102.20°F) $\pm 0.4^{\circ}\text{F}$ (89.6-96.78°F, 102.2-107.6°F)		

Measure in a room temperature test tank at room temperature of 25 °C (77°F)

2

High sensitive thermistor temperature measurement

The advanced temperature sensing technology, aimed at the oral temperature measurement, can be measured in a minute to measure the body temperature

