

## VT103 呼吸器 呼吸器 呼吸器 呼吸器


- 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器
- 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器
- 呼吸器 2.5 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器



## 呼吸器

呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器  
呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器  
呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器  
呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器 呼吸器

# 4 layers protection



Respiratory protection equipment selection criteria

1. Respiratory protection equipment should be selected based on the type of respiratory hazard, the concentration of the hazard, the duration of exposure, the user's physical condition, and the user's ability to use the equipment. **respirator** should be selected based on the type of hazard and the concentration of the hazard.
  2. Do not use respiratory protection equipment if the user is unable to use it properly, if the user is unable to breathe through the equipment, or if the user is unable to see through the equipment.
  3. **contaminated** respiratory protection equipment should be replaced immediately if the user is unable to breathe through the equipment, if the user is unable to see through the equipment, or if the user is unable to use the equipment properly.
  4. Respiratory protection equipment should be replaced immediately if the user is unable to breathe through the equipment, if the user is unable to see through the equipment, or if the user is unable to use the equipment properly.
  5. Respiratory protection equipment should be replaced immediately if the user is unable to breathe through the equipment, if the user is unable to see through the equipment, or if the user is unable to use the equipment properly. **condition** should be checked before use, **noseclip** should be used to ensure a proper fit, and the user should be trained in the proper use of the equipment.
  6. Do not use respiratory protection equipment if the user is unable to breathe through the equipment, if the user is unable to see through the equipment, or if the user is unable to use the equipment properly.
  7. Do not use respiratory protection equipment if the user is unable to breathe through the equipment, if the user is unable to see through the equipment, or if the user is unable to use the equipment properly.
- Respiratory protection equipment should be replaced immediately if the user is unable to breathe through the equipment, if the user is unable to see through the equipment, or if the user is unable to use the equipment properly.

No longer do the human vacuum cleaner



dust



Automobile exhaust



fire disaster



Fossil fuels

如何改善空氣品質

如何改善空氣品質，請參考以下建議：

如何改善空氣品質，請參考以下建議：

1. 更換新的 nosepiece 濾網，請參考以下建議：VT103 濾網，請參考以下建議。

2. nosepiece 濾網請參考以下建議：103v 濾網。

如何改善空氣品質，請參考以下建議：

3. 如何改善空氣品質，請參考以下建議：

4. 如何改善空氣品質，請參考以下建議：

如何改善空氣品質，請參考以下建議：

5. 如何改善空氣品質，請參考以下建議：nosepiece 濾網。

如何改善空氣品質，請參考以下建議：

6. 如何改善空氣品質，請參考以下建議：

如何改善空氣品質，請參考以下建議：

如何改善空氣品質，請參考以下建議：airleaks，請參考以下建議：5 分鐘。

如何改善空氣品質，請參考以下建議：

如何改善空氣品質，請參考以下建議：

如何改善空氣品質：

如何改善空氣品質：

