



Introduction of advanced probes. Exquisite process measurement is more accurate.





A second rapid temperature measurement.

No longer need 5 minutes to take temperature, quick and easy.

Introduction of advanced probe technology, the exquisite craft a second automatic scanning 8 times, a second rapid temperature measurement, the baby does not cry no, the measurement of temperature is more convenient and quick.



Collect skin spontaneous infrared, the machine itself does not emit.

Radiation, no radiation.

When measuring the temperature, the sensor collects infrared measurements from the forehead, and the machine itself does not emit any radiation.

The error value is not exceeded.



00000000

1. ON 000000 "----" 00000000000000000000 LCD "Body" 00000000000000000000 ON 00000000000000000000 000000000000

2. SETTING 000000000000000000000000000000000000

3 UP / DOWN 0002 00000000000000000000

2. 0000000000

1 ON 0000000000 "----" 00000000000000000000

2 00000000000000000000 SETTING 000000000000000000000000000000000000

3 ON 000000000000000000000000000000000000

4 SETTING 000000000000000000000000000000000000

5 SETTING 000000000000000000000000000000000000

6 UP / DOWN 0002 00000000000000000000

3. Room 00000000

1 ON 0000000000 "----" 00000000000000000000

2 SETTING 000000000000 Room 0000000000000000000000000000 LCD 000000000000 000000000000 030 000000000000000000

3 ON 00000000000000000000

4 SETTING 000000000000000000000000000000000000

5 SETTING 000000000000000000000000000000000000

6 UP / DOWN 0002 00000000000000000000

4. 0000000000

1 ON 0000000000 "----" 00000000000000000000

2 SETTING 0002 0000000000000000000000000000

3 LCD "F-1" 000000000000 UP / DOWN 00000000 "C / F" 0000000000

4 SETTING 000000 "F-2" 00000.1 000 "0.0" 0000000000000000-5.0 + 5.0 00000000000000000000 UP / DOWN 0000000000000000 Body Surface 00000000000000000000

5 SETTING 000000 "F-3" 00001 000 "1" 000 "0" 000000000000000000000000000000000000 UP / DOWN 00 000000000000000000000000000000000000 1 ON 0 OFF 00

6 SETTING 000000000000000000000000000000000000

7 00000000 ON 00000000000000000000 "----" 0000000000000000000000

5. 00000000

1 ON 0000000000 "----" 00000000000000000000

2 UP / DOWN 0002 0000000000000000000000000000

3 000000000000 "000000" LCD 000000001 000 "000000" 0000000000

4 UP / DOWN 0000000000000000 "000000" "000000" 00000000 "Clr" 000000000000000000000000000000000000 000

5 0000000000 ON 00000000000000000000 "----" 0000000000000000000000

